



Srivasavi Tapes
adding value always



Dollar®

Renewable Energy Solutions



www.vasavitapes.com



The world is greater than the sum of its parts. At Srivasavi Tapes, we believe it is our duty to hold these parts together. A value-based organization, SATL is more than simply a manufacturer and supplier of Adhesive Tapes, Die-cuts & Labels, with an aim to be among the best, we are relentlessly passionate to creating valuable solutions for our valuable customers.

Established in 2002, with the vision to serve the industrial requirement of Industrial Specialty Self-Adhesive Tapes and related products to the world. Srivasavi Tapes has grown to become one of the leaders in this sector.

Serving Domestic and International businesses requirements by building a reputation for understanding the market and delivering quality products at a competitive price. We are proud to be the trusted partners of renowned brands across various sectors and industries.



Over time we have diversified from manufacturing tapes to providing our esteemed clientele with specialty films, foams, adhesives, and many more. Keeping up with the ever-changing demands and technology, Srivasavi Tapes has shown eagerness to expand and grow our services with every challenges

From offering a wide range requirement of automotive & locomotive industry, renewable energy industry, specialty packaging, electrical & electronics, construction industry and specialty adhesive tape solutions to our customers including some of the most well-known brands globally. Srivasavi Tapes has crossed a turnover of over nine million Dollars in a short period of 20 years. In that period, we have also expanded our reach to over 25+ countries—exporting our quality products to meet the needs of customers in the UAE, United Kingdom, the European Union, Australia, Egypt, Thailand, Srilanka and many more countries



Credentials & Certifications

- ✔ EN45545 HL3
- ✔ UL-510
- ✔ ISO 10993: 10 (SKIN IRRITATION)
- ✔ ARAI- FR TEST
- ✔ ICF
- ✔ CLW
- ✔ SITRA ASTM F1670/F1670M-2017
- ✔ IEC- 60529
- ✔ ROHS
- ✔ ISO 9001: 2015
- ✔ REACH

WE ALSO HAVE BEEN IDENTIFIED WITH FOLLOWING AWARDS....

- ✔ Govt Of Karnataka Sir M V Manufacturing Excellence
- ✔ AO SMITH – Best Supplier
- ✔ FKCCI - Business Excellence
- ✔ Industry Out Look –
- ✔ KASSIA – New Innovative Products
- ✔ Top 10 Industrial Tapes -2021 & 2022
- ✔ FKCCI – Best District Exporter
- ✔ IIB – Best Adhesive Tapes Manufacturer -2022

adding value always

Double Sided Red Polyester Tape



Product Code	Description	Special Features	Applications
DSPT-65R	Dollar Double Sided Red PET Tape	<ul style="list-style-type: none"> ➤ Reliable bond even to LSE substrates ➤ Immediate usability right after assembly ➤ Suitability for most demanding applications such as heavy stress, high temperatures or critical substrates 	<ul style="list-style-type: none"> ➤ Bonding between epoxy mould & peel ply for wind industry. ➤ Mounting of ABS plastic parts in the car industry ➤ Self-adhesive mounting of rubber/EPDM profiles ➤ Mounting of decorative profiles and mouldings in the furniture industry ➤ Mounting of battery packs, lenses and touch screens in electronic devices
DSPT-398	Dollar Double Sided Red PET Tape		

Double Sided Filamic Tape



Product Code	Description	Special Features	Applications
DSPVC-220	Dollar Double Sided PVC Filmic Tape	<ul style="list-style-type: none"> ➤ An outstanding adhesion level to steel/painted steel. ➤ Excellent Adhesion to Even to critical low surface energy materials such as PP and PE. ➤ Due to high initial tack which provides user an immediate functionality of the laminated bond. ➤ High tensile strength. Residue free removal. ➤ UV & Age resistant adhesive. 	<ul style="list-style-type: none"> ➤ Mounting of exterior car mirrors in plastic housings. ➤ Mounting of mouldings and decorative trim parts in the furniture industry. ➤ Mounting of battery packs in cellular phones & mounting of screen/lens. ➤ Mounting of rubber parts, Flash card. ➤ Mounting of signage's and flex joints ➤ Metal labels ➤ Other outdoor applications
DSPET-398	Dollar Double Sided Filmic Tape		

Sealant Tape/ Butyl Tape



Product Code	Description	Special Features	Applications
Plain Butyl	Dollar Plain Butyl	<ul style="list-style-type: none"> ➤ Easy to apply by hand & contour surfaces. ➤ Strong adhesion to nylon film & tooling surfaces. ➤ Ideal for autoclave cure. ➤ Maintains the adhesion during the low/high temperature cycling. ➤ Non-Hazardous, Non-toxic & thermally stable. ➤ Easy for de-bagging 	<ul style="list-style-type: none"> ➤ This product as aggressive Initial tack, High reinforcing fiber to resist flow under heat and pressure. ➤ It will maintain an air-tight seal during the cure cycle of vacuum bag.

Double Sided Glass Mesh Tape



Product Code	Description	Special Features	Applications
DGMT-220	Dollar Double Sided Glass Mesh Tape	<ul style="list-style-type: none"> ➤ It is waved Glass yarn, Flexible, Easy to apply ➤ Tape with a high tensile strength. ➤ Easy unwinding for better workability ➤ Good tack. ➤ It Reduces clean-up time around the mould. 	<ul style="list-style-type: none"> ➤ Holding the dry fabric during resin infusion process ➤ This is cleaner the any spray adhesive usage. ➤ Its reduce cleanup time around the mould.

PTFE Coated Fiberglass Release Fabric



Product Code	Description	Special Features	Applications
DPTFE-5S	Dollar PTFE Coated Fiberglass Fabric Tape Green	<ul style="list-style-type: none"> ➤ Low friction ➤ Good release/non-stick properties ➤ Extreme temperature Resistance ➤ Good chemical resistance ➤ High Strength, flexibility and dimensional stability ➤ Excellent electrical properties 	<ul style="list-style-type: none"> ➤ Sealing on the damaged area of the mold. ➤ It gives uniformity of the heat for better resin infusion process. ➤ This product is widely used for the epoxy mold.
	Dollar PTFE Coated Fiberglass Fabric Tape Brown		

Grey Fabric Tape



Product Code	Description	Special Features	Applications
DACT-657	Dollar Acrylic coated cloth tape	<ul style="list-style-type: none"> ➤ Removable without residues even after high temperature exposure. ➤ Very ageing-resistant (allowing for permanent applications). ➤ High resistance to paint solvents. ➤ Excellent tape for die-cuts, available as log roll with liner. ➤ Also available as low unwinding version. ➤ Available in 3 colors: Black, Grey, Blue Etc 	<ul style="list-style-type: none"> ➤ Heat resistant masking application. ➤ Removable without residues even after high temperature exposure. ➤ Very ageing-resistant (Allowing for the permanent application). ➤ Permanent interior and exterior hole covering.

Cross Filament Tape




Product Code	Description	Special Features	Applications
DCFT-202B	Dollar Cross Filament Tape	<ul style="list-style-type: none"> ➤ Strong Adhesion. ➤ Thick enough. ➤ Moisture resistance & Ageing resistance. ➤ Heat Resistance. ➤ High Tensile Glass Fibers. 	<ul style="list-style-type: none"> ➤ Used for holding the peel ply and other parts before infusion process. ➤ High tensile strength.

Flash Braker Tape



Product Code	Description	Special Features	Applications
DBPT-30S	Dollar Blue Polyester Tape	<ul style="list-style-type: none"> ➤ Flexible, wet resistant masking ➤ Tape with a good tensile strength. ➤ Residue free removal. 	<ul style="list-style-type: none"> ➤ It is used on edges masking on mold before infusion process. ➤ It is also used as mold protection before lay-up on mold.
DBPT-25S	Dollar Blue Polyester Tape	<ul style="list-style-type: none"> ➤ Easy unwinding for better workability ➤ Good Initial tack 	
DGPT-80SD	Dollar Green Polyester tape	<ul style="list-style-type: none"> ➤ Easy Masking and de-masking ➤ high Shear & Easy De-Masking 	

Duct Tape



Product Code	Description	Special Features	Applications
DDUCT-35G	Dollar Duct Tape	<ul style="list-style-type: none"> ➤ Easy tear. ➤ Excellent adhesion to metal, glass, plastic and sealed concrete. ➤ Good holding power. ➤ Low temperature resistance. 	<ul style="list-style-type: none"> ➤ Used for holding the peel ply and other parts before infusion process. ➤ High tensile strength.
DDUCT-180G	Dollar Duct Tape Premium	<ul style="list-style-type: none"> ➤ Excellent conformability. ➤ Application for multiple surfaces. ➤ Perfectly waterproof. 	

Masking Tape




Product Code	Description	Special Features	Applications
DMT-310	Dollar Medium Temp Masking Tape	<ul style="list-style-type: none"> ➤ Special designed for automotive paint masking application for High Temperature 	<ul style="list-style-type: none"> ➤ Paint masking. ➤ Holding application ➤ High Temperature paint masking.
DMT-618	Dollar High Temperature masking tape	<ul style="list-style-type: none"> ➤ Flexible, wet resistant masking ➤ Tape with a high tensile strength. ➤ Residue free removal. ➤ Easy unwinding for better workability ➤ Good Initial tack ➤ Easy Masking and de-masking 	

Double Side Cloth Tape



Product Code	Description	Special Features	Applications
DSCT 100H1	Double Side Cloth Tape	<ul style="list-style-type: none"> ➤ Specially designed adhesive with excellent flow properties. ➤ Provides excellent immediate bonding. ➤ Uniform adhesive thickness. ➤ Consistent application performance. ➤ Flexible adhesive film, good conformability to flat or curved surfaces. 	<ul style="list-style-type: none"> ➤ Product is ideal for Cylinder mounting in printing industries, Splicing application & Bonding application
DSCT 100H	Double Side Cloth Tape	<ul style="list-style-type: none"> ➤ Easy release liner ➤ Facilitates easy removal at point of application. ➤ One Time Application for Stereo Printing ➤ Hazard free substances , ➤ Bio Degradable material, 	<ul style="list-style-type: none"> ➤ This makes product to be ideal tape for all types of applications such as the bonding of all types Carpets, Nylon / rubber stereotypes, affixing metal labels, mounting non-woven materials, core starting for paper boards, etc.,

Foam Tape




Product Code	Description	Special Features	Applications
FOAM-2050	Dollar S/S PE Foam with closed cell	<ul style="list-style-type: none"> ➤ Negligible Water/Moisture absorption (90% Closed Cell) ➤ Excellent Thermal & Acoustic Insulation. ➤ Resistance to Fungi & Bacteria ➤ Chemically unreactive. ➤ Stable K Value ➤ Maintenance free ➤ Dust free & Fiber free. ➤ Easy to install 	<ul style="list-style-type: none"> ➤ It is used for lining, filling, protection, sealing, packaging, sounds and shock absorption, and heat and cold insulation. ➤ More then 90% closed cell- Negligible water/ moisture absorption.

Vinyl Tape



Product Code	Description	Special Features	Applications
DFMT-150	Dollar Vinyl Tape	<ul style="list-style-type: none"> ➤ Good adhesion to most surfaces ➤ Unwind without stretching ➤ Tough during application ➤ Distinct & Bright colour for easy identification ➤ Residue free removal ➤ Tough PVC film with high resistant to abrasion and cleaning chemicals. ➤ Release coated for easy positioning without shrinkage. ➤ Complex rubber adhesive for excellent tack and adhesion to all surfaces. 	<ul style="list-style-type: none"> ➤ Used for holding and color identification purpose. ➤ Complex adhesive for excellent tack and adhesion to all surfaces. ➤ Tough PVC Film with high resistant to abrasion and cleaning chemicals. ➤ Residue free removal.

Auto Mask Tape



Product Code	Description	Special Features	Applications
DLAM-08	Dollar Auto Mask	<ul style="list-style-type: none"> ➤ The product is made out low thickness of HDPE film 	<ul style="list-style-type: none"> ➤ Large are masking application for wind blade during powder coating / paint. ➤ It also protect the surface against dust scratches and unwanted contamination from the air.

Double side Solar Mount Tape



Product Code	Description	Special Features	Applications
DSPE-310W	Dollar D/S PE Foam Tape	<ul style="list-style-type: none"> ➤ Good Flexibility in application. ➤ An outstanding adhesion level to metal & glass surface. ➤ Excellent Adhesion to even to critical low surface energy materials such as PP and PE. ➤ Due to high initial tack which provides user an immediate functionality. 	<ul style="list-style-type: none"> ➤ Solar panel fixing / frame fixing. ➤ J/B Mounting.. ➤ Excellent product for out door and long term application. ➤ Excellent bonding to glass and metal surface.
DSPE-308B	Dollar D/S PE Foam Tape		

Cell Placement Tape




Product Code	Description	Special Features	Applications
DPT-50TS	Dollar Cell Placement Tape	<ul style="list-style-type: none"> ➤ Stable Backing ➤ Remains flexible during the application ➤ High Temperature resistance (up to 160 deg° C) ➤ High UV resistance hence does not have problem of changing color. ➤ Long ageing resistance. ➤ Solvent & Chemical resistance 	<ul style="list-style-type: none"> ➤ Cell Placement Tape holds the cell in place during lamination process. ➤ Transparent and tear resistant. ➤ Resistant to UV, water and various chemicals. ➤ High immediate adhesive.

Edge Identity Tape



Product Code	Description	Special Features	Applications
DFLT-150	Dollar Edge Identity Tape	<ul style="list-style-type: none"> ➤ Easy to mask in the edges 	<ul style="list-style-type: none"> ➤ Edge masking for the wind blade end of the edge.n ➤ Its gives the edge protection for the wind blade edge in transit.

Silicone Rubber Sheet



Product Code	Description	Special Features	Applications
DollarSil-45	Dollar Silicone Rubber Sheet		<ul style="list-style-type: none"> ➤ Its used as vacuum gasket for the solar lamenter. ➤ Its gives better lamination to solar panel.
DollarSil-30			

Solar Sil 744




Product Code	Description	Special Features	Applications
Solar Sil-744	Dollar Silicon Sealant	<ul style="list-style-type: none"> ➤ Product is made using advanced techniques and special equipment, large drum-type vulcanization unit to develop the high tear-resistant silicon rubber sheet, which has a high level of stability, a good evenness and reliability, and its heat resistant up to 230. 	<ul style="list-style-type: none"> ➤ Frame Sealing. ➤ Fixing and Sealing Junction Boxes. ➤ Sealing Solar collectors.

SECURITY LABEL




Product Code	Description	Features	Application
DSEC	Security Labels For	These designed to meet your equipment safety needs, including those related to hot & cold surface warnings,	Electrical Panels, Machine, Hot surface, Moving machine, Road safety etc....

REFLECTIVE LABEL



Product Code	Description	Features	Application
DRRL	Retro Reflective Label	Add up more values to aesthetic look & durability of the Branding Logos. High reflection of light	Road safety Vehicle safety Signage

POLYSTER LABEL




Product Code	Description	Features	Application
DPL	High Temperature Label	Withstand For High Temperature Surface	Automobile Industries, instrument Industries


FABRIC LABEL



Product Code	Description	Features	Application
DFRBL	Fabric Labels	Is designed to print on fabric label suitable for sheet metal product with write & protect label	Sheet metal industries

DIE CUTS FOR AUTOMOTIVE & OTHER INDUSTRIAL APPLICATION





Srivasavi Tapes



SRIVASAVI

An ISO 9001:2015 Company

Adhesive Tapes Limited

adding value always

Corporate Office :

#17/2, 2nd Floor, Kodigehalli Main Road, Diagonal opp. Chairmans Club Office,
Sahakarnagar, Bangalore - 560 092.

☎ +91-080-23629383 / 84 📧 info@vasavitapes.com 🌐 www.vasavitapes.com

Toll Free No : 1800-890-6365